







Handling Bar Options

Medical





Our 25µm clear PU film range is available in a pre-converted version.

This concerns our products MED 1827, MED 5560A, MED 5570U and MED 5575A. These products can be supplied with or without handling bars. The handling bar choices are color, size, perforation and PE support film:

Color

- Clear
- Blue
- Green
- One side blue, one side green

Size

- On one or both sides
- Minimum 10 mm
- Increasing by 5 mm
- Maximum 100 mm

Perforation

- Placed alongside the handling bar so that the user can tear away the handling bar after application to the patient

PE support film

- Protective and reinforcing polyethylene film to ease further conversion or incorporation in the drape
- Remove completely
- Removed only above handling bar

Order specifications

Minimum quantity of 1000 m2 per distinct choice

- Example: If perforation is required, the full 1000 m2 will be with perforation.

Combination of slit sizes is possible

- The combined slit sizes need to add up to the total master roll width of 1000 mm
- Minimum slit size is 100 mm
- Slit sizes are calculated including the handling bar size
- Example: 1 x 100 mm + 2 x 150 mm + 3 x 200 mm

Our technical experts are here to show you how to work with your materials successfully during every phase of your application. You can count on us to approach any challenge with genuine curiosity and care.

Contact your Avery Dennison sales representative or visit medical.averydennison.com

Belgium

Tieblokkenlaan 1
B-2300 Turnhout
Belgium
Phone: +32 (0)14 40 48 11
Fax: +32 (0)14 40 48 55



#MakingPossible

Please refer to medical.averydennison.com for complete terms and conditions, including warranty terms relating to this product. You should periodically review the site as terms and conditions are subject to change without notice.

DISCLAIMER – © 2025 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are trademarks of Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison. All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison’s products are sold subject to Avery Dennison’s general terms and conditions of sale, see terms.europe.averydennison.com.